This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **ADBL WSR**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: ADBL WSR

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: General cleaner

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

JJPM Sp. z o.o. ul. Rzeczycka 26

04-940 Warszawa - mazowieckie - Polska

Phone: +48 720 893 444

msds@adbl.eu www.adbl.eu

**1.4 Emergency telephone number:** 112 – European emergency phone number

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

# CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No. 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319

#### 2.2 Label elements:

# CLP Regulation (EC) No 1272/2008:

# Warning



#### **Hazard statements:**

Eye Irrit. 2: H319 - Causes serious eye irritation.

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/ container in accordance with local/regional/national/international regulation.

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

**Chemical description:** Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

# **ADBL WSR**

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification		Chemical name/Classification					
CAS: EC:	5949-29-1 611-842-9	Citric acid monohydra		Self-classified	4 - <7 %			
Index:	Non-applicable 01-2119457026-42- XXXX	Regulation 1272/2008	Regulation 1272/2008 Eye Irrit. 2: H319 - Warning					
CAS:	5329-14-6	Sulphamidic acid(1) ATP CLP00						
	226-218-8 016-026-00-0 01-2119488633-28- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	<b>(</b> )	2 - <4 %			
CAS: EC:	61789-40-0 263-058-8	1-Propanaminium, 3- hydroxides, inner salt	amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., s <sup>(1)</sup>					
REACH:	Non-applicable I: 01-2120770501-61- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	<b>②</b>	2 - <4 %			
CAS:	68439-46-3 614-482-0 Non-applicable I: 01-2119980051-45- XXXX	Alcohol ethoxylated (	C9-C11) (8 EO) <sup>(1)</sup>	Self-classified				
REACH:		Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	♦	1 - <2 %			
CAS:	56539-66-3 260-252-4 Non-applicable : 01-2119976333-33- XXXX	3-methoxy-3-methyll	outan-1-ol <sup>(1)</sup>	Self-classified				
REACH:		Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	<b>(</b> )	1 - <2 %			
CAS:	7664-38-2	Phosphoric acid <sup>(2)</sup>		Self-classified				
REACH:	231-633-2 015-011-00-6 : 01-2119485924-24- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Met. Corr. 1: H290; Skin Corr. 1B: H314 - Danger	♦	0,5 - <1 %			
CAS:	7681-49-4	sodium fluoride(1)		ATP CLP00				
REACH:	231-667-8 009-004-00-7 01-2119539420-47- XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Eye Irrit. 2: H319; Skin Irrit. 2: H315; EUH032 - Danger	<b>*</b>	0,5 - <1 %			
	78-93-3	Butanone <sup>(2)</sup>		ATP CLP00				
	201-159-0 606-002-00-3 01-2119457290-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger	1 6	<0,1 %			

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

## Other information:

(2) Substance with a Union workplace exposure limit

Identification	Specific concentration limit
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts CAS: 61789-40-0 EC: 263-058-8	% (w/w) >=10: Eye Dam. 1 - H318 4<= % (w/w) <10: Eye Irrit. 2 - H319
Phosphoric acid CAS: 7664-38-2 EC: 231-633-2	% (w/w) >=25: Skin Corr. 1B - H314 10<= % (w/w) <25: Skin Irrit. 2 - H315 % (w/w) >=25: Eye Dam. 1 - H318 10<= % (w/w) <25: Eye Irrit. 2 - H319

# **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

# By skin contact:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **ADBL WSR**

# SECTION 4: FIRST AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

# 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures:

# For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

# For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

# **6.2** Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

Date of compilation: 12/02/2024 Version: 1 Page 3/13

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **ADBL WSR**

# SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

# 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 25 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
Phosphoric acid	IOELV (8h)		1 mg/m³
CAS: 7664-38-2	IOELV (STEL)		2 mg/m <sup>3</sup>
Butanone	IOELV (8h)	200 ppm	600 mg/m <sup>3</sup>
CAS: 78-93-3 EC: 201-159-0	IOELV (STEL)	300 ppm	900 mg/m <sup>3</sup>

# **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Sulphamidic acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5329-14-6	Dermal	Non-applicable	Non-applicable	10 mg/kg	Non-applicable
EC: 226-218-8	Inhalation	Non-applicable	Non-applicable	70,5 mg/m <sup>3</sup>	Non-applicable
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	2,33 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	8,22 mg/m <sup>3</sup>	Non-applicable

Date of compilation: 12/02/2024 Version: 1 Page 4/13

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **ADBL WSR**

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
3-methoxy-3-methylbutan-1-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 56539-66-3	Dermal	Non-applicable	Non-applicable	6,25 mg/kg	Non-applicable
EC: 260-252-4	Inhalation	Non-applicable	Non-applicable	18 mg/m³	Non-applicable
Phosphoric acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7664-38-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-633-2	Inhalation	Non-applicable	2 mg/m <sup>3</sup>	10,7 mg/m <sup>3</sup>	1 mg/m³
sodium fluoride	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7681-49-4	Dermal	0,36 mg/kg	Non-applicable	0,36 mg/kg	Non-applicable
EC: 231-667-8	Inhalation	2,5 mg/m <sup>3</sup>	Non-applicable	Non-applicable	2,5 mg/m <sup>3</sup>
Butanone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	1161 mg/kg	Non-applicable
EC: 201-159-0	Inhalation	Non-applicable	Non-applicable	600 mg/m <sup>3</sup>	Non-applicable

# **DNEL (General population):**

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Sulphamidic acid	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
CAS: 5329-14-6	Dermal	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
EC: 226-218-8	Inhalation	Non-applicable	Non-applicable	17,4 mg/m³	Non-applicable
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
CAS: 61789-40-0	Dermal	Non-applicable	Non-applicable	0,833 mg/kg	Non-applicable
EC: 263-058-8	Inhalation	Non-applicable	Non-applicable	1,45 mg/m³	Non-applicable
3-methoxy-3-methylbutan-1-ol	Oral	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
CAS: 56539-66-3	Dermal	Non-applicable	Non-applicable	3,1 mg/kg	Non-applicable
EC: 260-252-4	Inhalation	Non-applicable	Non-applicable	4,4 mg/m³	Non-applicable
Phosphoric acid	Oral	Non-applicable	Non-applicable	0,1 mg/kg	Non-applicable
CAS: 7664-38-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-633-2	Inhalation	Non-applicable	Non-applicable	4,57 mg/m <sup>3</sup>	0,36 mg/m <sup>3</sup>
Butanone	Oral	Non-applicable	Non-applicable	31 mg/kg	Non-applicable
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	412 mg/kg	Non-applicable
EC: 201-159-0	Inhalation	Non-applicable	Non-applicable	106 mg/m <sup>3</sup>	Non-applicable

# PNEC:

Identification				
Citric acid monohydrate	STP	1000 mg/L	Fresh water	0,44 mg/L
CAS: 5949-29-1	Soil	33,1 mg/kg	Marine water	0,044 mg/L
EC: 611-842-9	Intermittent	Non-applicable	Sediment (Fresh water)	34,6 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	3,46 mg/kg
Sulphamidic acid	STP	20 mg/L	Fresh water	1,8 mg/L
CAS: 5329-14-6	Soil	5 mg/kg	Marine water	0,18 mg/L
EC: 226-218-8	Intermittent	0,48 mg/L	Sediment (Fresh water)	8,36 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,84 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	STP	300 mg/L	Fresh water	0,0032 mg/L
CAS: 61789-40-0	Soil	0,0419 mg/kg	Marine water	0,00032 mg/L
EC: 263-058-8	Intermittent	0,02 mg/L	Sediment (Fresh water)	0,219 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0219 mg/kg
sodium fluoride	STP	51 mg/L	Fresh water	0,9 mg/L
CAS: 7681-49-4	Soil	11 mg/kg	Marine water	Non-applicable
EC: 231-667-8	Intermittent	Non-applicable	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

Date of compilation: 12/02/2024 Version: 1 Page 5/13

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **ADBL WSR**

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Butanone	STP	709 mg/L	Fresh water	55,8 mg/L
CAS: 78-93-3	Soil	22,5 mg/kg	Marine water	55,8 mg/L
EC: 201-159-0	Intermittent	55,8 mg/L	Sediment (Fresh water)	284,74 mg/kg
	Oral	1 g/kg	Sediment (Marine water)	284,7 mg/kg

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	CAT III	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

# D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

# E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

# F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
<b>^</b> +	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>*</b>	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

## **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Date of compilation: 12/02/2024 Version: 1 Page 6/13

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **ADBL WSR**

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Liquid

Appearance: Colorless

Colour: Colourless

Odour: Fruity

Odour threshold: Non-applicable \*

Volatility:

Boiling point at atmospheric pressure: 99 °C
Vapour pressure at 20 °C: 2425 Pa

Vapour pressure at 50 °C: 12703,19 Pa (12,7 kPa)

Evaporation rate at 20 °C: Non-applicable \*

**Product description:** 

Density at 20 °C: 1060,3 kg/m<sup>3</sup>

Relative density at 20 °C: 1,06

Dynamic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 40 °C: Non-applicable \* Concentration: Non-applicable \* pH: 2 - 3 (at 100 %) Vapour density at 20 °C: Non-applicable \* Partition coefficient n-octanol/water 20 °C: Non-applicable \* Solubility in water at 20 °C: Non-applicable \* Solubility properties: Non-applicable \* Non-applicable \* Decomposition temperature: Melting point/freezing point: Non-applicable \*

Flammability:

Flash Point: 61 °C

Flammability (solid, gas): Non-applicable \*

Autoignition temperature: 225 °C

Lower flammability limit: Non-applicable \*
Upper flammability limit: Non-applicable \*

Particle characteristics:

Median equivalent diameter: Non-applicable

#### 9.2 Other information:

# Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable components:

Non-applicable \*

Non-applicable \*

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

\*Non-applicable \*

\*Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 12/02/2024 Version: 1

<sup>-</sup> Continued on Next Page -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **ADBL WSR**

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
ſ	Not applicable	Not applicable	Precaution	Precaution	Not applicable

# 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Not applicable	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: sodium fluoride (3); ethanol (1); propan-2-ol (3); (r)-p-mentha-1,8-diene (3)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Date of compilation: 12/02/2024 Version: 1 Page 8/13

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **ADBL WSR**

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

# Other information:

Non-applicable

# Specific toxicology information on the substances:

Identification	Ac	cute toxicity	Genus
Citric acid monohydrate	LD50 oral	3000 mg/kg	Rat
CAS: 5949-29-1	LD50 dermal	>5000 mg/kg	Rat
EC: 611-842-9	LC50 inhalation	Non-applicable	
Sulphamidic acid	LD50 oral	3160 mg/kg	Rat
CAS: 5329-14-6	LD50 dermal	Non-applicable	
EC: 226-218-8	LC50 inhalation	Non-applicable	
sodium fluoride	LD50 oral	223 mg/kg	Rat
CAS: 7681-49-4	LD50 dermal	Non-applicable	
EC: 231-667-8	LC50 inhalation	Non-applicable	
Alcohol ethoxylated (C9-C11) (8 EO)	LD50 oral	500 mg/kg (ATEi)	
CAS: 68439-46-3	LD50 dermal	Non-applicable	
EC: 614-482-0	LC50 inhalation	Non-applicable	
Phosphoric acid	LD50 oral	1250 mg/kg	Mouse
CAS: 7664-38-2	LD50 dermal	2740 mg/kg	Rabbit
EC: 231-633-2	LC50 inhalation	Non-applicable	
Butanone	LD50 oral	4000 mg/kg	Rat
CAS: 78-93-3	LD50 dermal	6400 mg/kg	Rabbit
EC: 201-159-0	LC50 inhalation	23,5 mg/L (4 h)	Rat

# 11.2 Information on other hazards:

# **Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

#### Other information

Non-applicable

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Toxicity:

# Acute toxicity:

Identification	Concentration		Species	Genus
Citric acid monohydrate	LC50	1516 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 5949-29-1	EC50	120 mg/L (48 h)	Daphnia magna	Crustacean
EC: 611-842-9	EC50	Non-applicable		
Sulphamidic acid	LC50	70,3 mg/L (96 h)	Pimephales promelas	Fish
CAS: 5329-14-6	EC50	Non-applicable		
EC: 226-218-8	EC50	Non-applicable		

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **ADBL WSR**

# SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration		Species	Genus
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 61789-40-0	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 263-058-8	EC50	>10 - 100 mg/L (72 h)		Algae
sodium fluoride	LC50	200 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 7681-49-4	EC50	Non-applicable		
EC: 231-667-8	EC50	Non-applicable		
Butanone	LC50	3220 mg/L (96 h)	Pimephales promelas	Fish
CAS: 78-93-3	EC50	5091 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-159-0	EC50	4300 mg/L (168 h)	Scenedesmus quadricauda	Algae

# **Chronic toxicity:**

Identification	Concentration		Species	Genus
Sulphamidic acid	NOEC	0,025 mg/L	Jordanella floridae	Fish
CAS: 5329-14-6 EC: 226-218-8	NOEC	0,15 mg/L	Tantytarsus dissimilis	Crustacean
sodium fluoride	NOEC	4 mg/L	Oncorhynchus mykiss	Fish
CAS: 7681-49-4 EC: 231-667-8	NOEC	3,7 mg/L	Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

# **Substance-specific information:**

Identification	Degradability		Biodegradability		
Citric acid monohydrate	BOD5	Non-applicable	Concentration	Non-applicable	
CAS: 5949-29-1	COD	Non-applicable	Period	5 days	
EC: 611-842-9	BOD5/COD	Non-applicable	% Biodegradable	72 %	
Butanone	BOD5	2,03 g O2/g	Concentration	Non-applicable	
CAS: 78-93-3	COD	2,31 g O2/g	Period	20 days	
EC: 201-159-0	BOD5/COD	0,88	% Biodegradable	89 %	

# 12.3 Bioaccumulative potential:

# **Substance-specific information:**

Identification	Bioaccumulation potential	Bioaccumulation potential		
Citric acid monohydrate	BCF 3			
5949-29-1	Pow Log -1.64			
EC: 611-842-9	Potential Low			
Butanone	BCF 3			
CAS: 78-93-3	Pow Log 0.29			
EC: 201-159-0	Potential Low			

# 12.4 Mobility in soil:

Identification	Absorpti	on/desorption	Volatility	
Citric acid monohydrate	Koc	3.1	Henry	4,3E-14 Pa·m³/mol
CAS: 5949-29-1	Conclusion	Very High	Dry soil	No
EC: 611-842-9	Surface tension	Non-applicable	Moist soil	No
Butanone	Koc	30	Henry	5,77 Pa·m³/mol
CAS: 78-93-3	Conclusion	Very High	Dry soil	Yes
EC: 201-159-0	Surface tension	2,396E-2 N/m (25 °C)	Moist soil	Yes

# 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

# 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

# 12.7 Other adverse effects:

Not described

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **ADBL WSR**

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 30	detergents other than those mentioned in 20 01 29	Non dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

# Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC)  $n^0648/2004$  on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

#### Labelling for contents:

Component	Concentration interval
Amphoteric surfactants	% (w/w) < 5
Non-ionic surfactants	% (w/w) < 5
perfumes	

## Seveso III:

Non-applicable

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- —tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

# Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

Date of compilation: 12/02/2024 Version: 1 Page 11/13

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **ADBL WSR**

# SECTION 15: REGULATORY INFORMATION (continued)

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

# 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

#### SECTION 16: OTHER INFORMATION

# Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

# Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

# Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

## Classification procedure:

Eye Irrit. 2: Calculation method

# Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

## Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

#### **Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **ADBL WSR**

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET 
Date of compilation: 12/02/2024 Version: 1 Page 13/13